



Suzuki Hayabusa GSX 1300 R DOHC 16v

Effective September 2020  
Prices Subject To Change  
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.459/.415	270°/269°	245°/243°	785/45	Race profile. New cams must be hardwelded. Requires Exhaust System, Shortened Valve Guides, Performance Valve Spring Kit, Larger Diameter 31 mm Intake Followers, and High Compression Piston. Check ALL clearances! Price Per Set (2).	N/A	70-601 \$996.00	70-602 \$1320.00
.445/.415	268°/269°	244°/243°	776/45	Race profile. New cams must be hardwelded. Requires Exhaust System, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Check ALL clearances! Price Per Set (2).	N/A	70-891 \$996.00	70-892 \$1320.00
.423/.415	278°/269°	250°/243°	1039/45	Performance profile designed to increase mid and upper end. Requires Exhaust System, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-631 \$996.00	70-632 \$1320.00
.415/.391	269°/268°	243°/242°	45/483	Performance profile designed to increase mid and upper end. Requires Exhaust System, High Compression Piston, Shortened Valve Guides, and Performance Valve Spring Kit. Price Per Set (2).	N/A	70-841 \$996.00	70-842 \$1320.00
.391/.376	268°/270°	242°/244°	483/536	Designed to increase mid and upper end performance. Requires High Compression Piston, Exhaust System, Performance Valve Spring Kit, and Shortened Valve Guides. Price Per Set (2).	N/A	70-761 \$996.00	70-762 \$1320.00
.376/.330	270°/252°	244°/226°	536/577	Performance profile designed to increase overall performance. Requires Performance Valve Spring Kit. Price Per Set (2).	N/A	70-751 \$996.00	70-752 \$1094.00
.368/.322	264°/244°	235°/218°	151i/294	Designed for turbo applications to increase overall performance. Requires Performance Valve Spring Kit. Price Per Set (2).	N/A	70-161 \$996.00	70-162 \$1094.00

NEW ITEM: WEB CAM IS CURRENTLY STOCKING CERAMIC BEARINGS FOR YOUR SUZUKI HAYABUSA CAMSHAFTS.  
SEE PART NUMBER CB-002 FOR MORE INFO



Suzuki Hayabusa GSX 1300 R DOHC 16v

Effective September 2020  
Prices Subject To Change  
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
.360/.312	264°/246°	242°/220°	297/902	Performance profile increases power throughout the RPM range. Requires Performance Valve Spring Kit. Price Per Set (2).	N/A	70-951 \$996.00	70-952 \$1094.00
Install New Bearings / Adjustable Cam Gears				We will install your new bearings / new adjustable cam gears.			BG-000 \$38.00
Cam Gear, Adjustable				Use with all WEB CAM profiles for precise engine tuning. Includes gears and adapters. Price Per Set (2).			CG-S13 \$180.00
Buckets, Shim Under (Supertech) WPC Treated RACE				28 mm x 20 mm x 3.0 mm WPC Treated for extreme durability. Price (Each).			CF-S04 \$65.00
Buckets, Shim Under (Vance & Hines), RACE Series Oversized +.5 mm				28.5 mm bucket redesigned for the Hayabusa to be stronger and a little more material on the underside to keep from cracking. Perfect for RACE applications. Price (Each).			CF-S06 \$62.00
Buckets, Shim Under (Vance & Hines), RACE Series Oversized +1 mm				29.5 mm bucket redesigned for the Hayabusa to be stronger and a little more material on the underside to keep from cracking. Perfect for RACE applications. Price (Each).			CF-S07 \$70.00
Buckets, Shim Under (Vance & Hines), RACE Series Standard Size				28 mm bucket redesigned for the Hayabusa to be stronger and a little more material on the underside to keep from cracking. Perfect for RACE applications. Price (Each).			CF-S05 \$56.00

NEW ITEM: WEB CAM IS CURRENTLY STOCKING CERAMIC BEARINGS FOR YOUR SUZUKI HAYABUSA CAMSHAFTS.  
SEE PART NUMBER CB-002 FOR MORE INFO



Suzuki Hayabusa GSX 1300 R DOHC 16v

Effective September 2020  
Prices Subject To Change  
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
				Buckets, Shim Under (Kibblewhite) Standard Size 28 mm replacement buckets. Shim in retainers style. Price (Each).			CF-S01 \$38.00
				Chain Tensioner, Manual PRO Series The PRO Series is designed for the racer who frequently adjust his engine. The easy-access socket head adjuster screw is perfect for tight spaces. The interior o-ring design ensures that repeated adjustments will not eventually flatten the o-ring against the jam nut. The PRO Series design features an internal o-ring and custom-machined adjuster bolt. The bolt is broached with a 4 mm hex. Price (Each).			CT-S09 \$95.00
				Chain Tensioner, Manual CNC machined from billet alloy to exact tolerances for perfect fit. This tensioner can not back out allowing the cam chain to jump the sprockets as the auto adjusters have been known to do. Price (Each).			CT-S06 \$65.00
				Offset Cam Pin Intake The offset pin is to be used on your existing Gen 1 (97-07) Hayabusa (IN) cam in the Gen 2 (08-18) Hayabusa engine. Cam pin is reversible as well to allow Gen 2 (08-18) Hayabusa (IN) cam use in a (99-07) Hayabusa engine. Price (Each).			70-CPD \$38.00
				Dowel Pin Replacement Dowel Pin.			CP-S00 \$2.95
				Retainers, Titanium (Vance & Hines) Made from 6AL4V Titanium Engineered and tested to perform under the most extreme conditions. These Titanium retainers are the lightest in the industry. Proven to have less valve bounce at high RPM without sacrificing durability. Can be used as stock replacement. Price Per Set (16).			RT-S04 \$255.00

NEW ITEM: WEB CAM IS CURRENTLY STOCKING CERAMIC BEARINGS FOR YOUR SUZUKI HAYABUSA CAMSHAFTS.  
SEE PART NUMBER CB-002 FOR MORE INFO



Suzuki Hayabusa GSX 1300 R DOHC 16v

Effective September 2020  
Prices Subject To Change  
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Valve Springs Only (Vance & Hines)				Performance PAC dual Valve Springs. OK to use the stock retainers, bottoms, and keepers. Springs are designed with the latest advancements in valve spring technology. They are nano-peened, polished and 100% inspected through load testing to ensure they exceed stringent quality standards, offering superior valve stability at high rpm range. They are the premium choice for your performance upgrade and are "drop-in" ready. No machining of heads is required. Headlee 460" Valve Lift OK to run 20 lbs of boost if you run more			VS-S04 \$490.00
Valves, Stainless (Vance & Hines) Intake Oversized +1 mm				Oversized 34 mm. Precision CNC Machined from a Stainless One Piece Forging for higher strength & durability. Chrome Coated, High grade Alloy allowing the valve to withstand high heat and still maintain roundness. Chrome Coated and have Micro Polished stem for smoother finish and less friction resulting in improved performance. Multi angle back cuts for enhanced flow. Track tested and proven design on the World's Fastest Pro Street & Pro Mod Motorcycles. Price (Each)			IV-S33 \$26.00
Valves, Stainless (Vance & Hines) Intake Standard Size				Standard size 33 mm. Precision CNC Machined from a Stainless One Piece Forging for higher strength & durability. Chrome Coated, High grade Alloy allowing the valve to withstand high heat and still maintain roundness. Chrome Coated and have Micro Polished stem for smoother finish and less friction resulting in improved performance. Multi angle back cuts for enhanced flow. Track tested and proven design on the World's Fastest Pro Street & Pro Mod Motorcycles. Price (Each)			IV-S32 \$26.00
Valves, Stainless (Vance & Hines) Exhaust Oversized +1 mm				Oversized to 28.5 mm. Precision CNC Machined from a Stainless One Piece Forging for higher strength & durability. Chrome Coated, High grade Alloy allowing the valve to withstand high heat and still maintain roundness. Chrome Coated and have Micro Polished stem for smoother finish and less friction resulting in improved performance. Multi angle back cuts for enhanced flow. Track tested and proven design on the World's Fastest Pro Street & Pro Mod Motorcycles. Price (Each)			EV-S32 \$26.00

NEW ITEM: WEB CAM IS CURRENTLY STOCKING CERAMIC BEARINGS FOR YOUR SUZUKI HAYABUSA CAMSHAFTS.  
SEE PART NUMBER CB-002 FOR MORE INFO



Suzuki Hayabusa GSX 1300 R DOHC 16v

Effective September 2020  
Prices Subject To Change  
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Valves, Stainless (Vance & Hines) Exhaust Standard Size				Standard size 27.5 mm. Precision CNC Machined from a Stainless One Piece Forging for higher strength & durability. Chrome Coated, High grade Alloy allowing the valve to withstand high heat and still maintain roundness. Chrome Coated and have Micro Polished stem for smoother finish and less friction resulting in improved performance. Multi angle back cuts for enhanced flow. Track tested and proven design on the World's Fastest Pro Street & Pro Mod Motorcycles. Price (Each)			EV-S31 \$26.00
Valves, Titanium (Vance & Hines) Intake Oversized +1 mm				Oversized to 34 mm. Precision CNC Machined from a Stainless One Piece Forging for higher strength & durability. Chrome Coated, High grade Alloy allowing the valve to withstand high heat and still maintain roundness. Chrome Coated and have Micro Polished stem for smoother finish and less friction resulting in improved performance. Multi angle back cuts for enhanced flow. Track tested and proven design on the World's Fastest Pro Street & Pro Mod Motorcycles. Price (Each)			IV-S34 \$66.00
Valves, Titanium (Vance & Hines) Exhaust Oversized +1 mm				Oversized to 28.5 mm. Precision CNC Machined from a Stainless One Piece Forging for higher strength & durability. Chrome Coated, High grade Alloy allowing the valve to withstand high heat and still maintain roundness. Chrome Coated and have Micro Polished stem for smoother finish and less friction resulting in improved performance. Multi angle back cuts for enhanced flow. Track tested and proven design on the World's Fastest Pro Street & Pro Mod Motorcycles. Price (Each)			EV-S33 \$66.00
Valves, Inconel (Vance & Hines) Exhaust Oversized +1 mm				Oversized to 28.5 mm. Price (Each).			EV-S35 \$34.00
Valve Guide, Shortened 0.110" Standard Size				Made from special C630 Bronze material for longer wear. Standard size. Adds additional retainer to guide seal clearance. Custom sizes available +.001, +.002, +.004, +.010. Fits intake and exhaust. Price (Each).			VG-S13 \$12.00

NEW ITEM: WEB CAM IS CURRENTLY STOCKING CERAMIC BEARINGS FOR YOUR SUZUKI HAYABUSA CAMSHAFTS.  
SEE PART NUMBER CB-002 FOR MORE INFO



Suzuki Hayabusa GSX 1300 R DOHC 16v

Effective September 2020  
Prices Subject To Change  
Without Notice!

VALVE LIFT	DURATION	DURATION @ .050	GRIND NUMBER	DESCRIPTION	REGRIND	HARDWELD	BILLET
Valve Seals High Temp				High temperature valve stem seals operate at a higher temperature than other seal materials. The seals retain pliability in situations where other materials would become hard and lose their sealing capability. Price Per Set (16).			SS-S00 \$60.00
Bearings Steel				Replacement cam bearing. Price (Each).			SB-000 \$22.50
Bearings Ceramic				Special Ceramic Cam Bearing made by the Worldwide. 40% less friction over Steel, less friction=Horsepower. 60% less rotating weight. Bearing life increased 3-5 times longer life than steel. Lower vibration levels and cooler running conditions. Price (Each).			CB-002 \$78.00
Cam Tower Bolts				These Cam Tower Bolts exceed OEM specifications dimensionally and by grade. Heat Treated, made from High Tensile Steel, designed for repeated removal and installation, Treated with Black Oxide for Corrosion Resistance. Price Per Set (20).			CB-006 \$55.00

NEW ITEM: WEB CAM IS CURRENTLY STOCKING CERAMIC BEARINGS FOR YOUR SUZUKI HAYABUSA CAMSHAFTS.  
SEE PART NUMBER CB-002 FOR MORE INFO